

PREVENT. PROMOTE. PROTECT.

July 19, 2018

Dear Property Owner,

Timothy Ingram, Health Commissioner 250 William Howard Taft Road Cincinnati, OH 45219 Phone: 513.946.7800 Fax: 513.946.7890 hcph.org

Hamilton County Public Health (HCPH) recently pre-approved you at 50% grant funding through the Water Pollution Control Loan Fund (WPCLF) to help in the sewage treatment system (STS) replacement project at your primary residence. The WPCLF requires at least three bids or quotes be submitted to Hamilton County Public Health for each eligible project. HCPH recently reviewed and approved the STS replacement plan for your property at 11599 Kettering Drive. Attached you will find a copy of the approved plan which you will need to use in order to solicit bids/quotes on behalf of HCPH.

Using the attached forms, sample contract, approved STS design plan for your property and the guidance provided in this letter, you will need to contact registered STS installers individually for quotes/bids. Attached is a list of registered STS installers you may contact. Any contractors interested in your project will need to submit a bid/quote for the total cost for all work needed to install the approved STS using the form provided. This will include all items specified on the approved STS design plan, any needed connection of plumbing into the building sewer, disconnection and re-routing of any clear water from the plumbing system or STS, any needed electrical service upgrade if required to accommodate the replacement STS components, any other eligible and justified items, finished grading, seed and straw, and proper abandonment of the existing STS components.

To keep the process moving forward, by September 7, 2018, at least three bids/quotes must be obtained by you on behalf of HCPH. Keep in mind that returning bids/quotes sooner will better help your chances of receiving the WPCLF funding. Bids/quotes will be reviewed by a team of individuals at HCPH. The contract will be awarded to the qualified applicant based on the lowest and best bid and will be dependent upon bidder's availability to complete the requested work in a timely fashion. Awarded contracts are strictly between HCPH and the selected contractor. Any attempt to enter into separate contract, addendum, modification, invoice or other contractual agreement, except for the property owner's matching percentage to be paid directly by the owner to the contractor, without prior approval by HCPH may disqualify the bidder.

If selected to complete the STS installation, the contractor will be contacted directly by HCPH. At that time, they will be required to sign a site specific version of the attached contract and submit all required contract paperwork to HCPH. Once verified, a Notice to Proceed will be issued to the contractor by HCPH allowing the selected contractor to begin the installation. All work required must be completed (including final inspection) by December 21, 2018 and following receipt of the Notice to Proceed.

It should be noted that any unexpected changes and/or alterations needed during the performance of work, requires a Contract Change Order (see Contract - Attachment B). Payment for any changed or extra services will not occur without pre-approval using this method. Also note that the contract has special insurance and bid bonding/financial guarantee requirements that must be followed.





PREVENT. PROMOTE. PROTECT.

For the WPCLF portion of the payment to occur, HCPH must approve the final STS installation. After which, the contractor must submit to HCPH an invoice, by December 27, 2018, to document the incurred costs for the repair/replacement along with an approval certificate issued by HCPH. Upon verification of this information, HCPH will send a request to Ohio EPA for reimbursement of the eligible system repair/replacement costs. After confirmation by Ohio EPA, the Ohio Water Development Authority will distribute the funding to HCPH, who will then pay the contractor the approved amount. Any portion of the approved bid amount not covered by the WPCLF must be paid directly by the property owner to the contractor.

At this time, if you would like to remain eligible for the WPCLF, you must solicit quotes/bids, on behalf of HCPH, for your STS replacement project. When submitting each bid/quote, the contractor must include a completed, signed and dated copy of the following attachments:

- i Hamilton County Bid Proposal Form
- i Contractor Equal Employment Opportunity (EEO) Certification Form
- i Certification Regarding Debarment, Suspension, and Other Responsibility Matters Form
- i American Iron and Steel (AIS) Form

At least three bids/quotes should be collected by you and be submitted together to HCPH with the items listed above and below, on or before September 7, 2018, to:

Hamilton County Public Health Attn: Chris Griffith 250 William Howard Taft Cincinnati. OH 45219

With the required quotes, please include documentation of payments made for any eligible costs which you have already paid toward the STS design. Those eligible costs can be counted as part of the matching percentage which you may owe toward the total STS replacement cost.

If you have any questions concerning this program, please feel free to contact me directly at 946-7866.

Sincerely,

Christopher M. Griffith, RS Director of Water Quality

Affle RS

Hamilton County Bid Proposal Form

Contractor Name:	
Contractor Address:	
Contractor Phone(s):	
Project Address:	
Bid Due Date:	
Total Amount of Bid:	
Total Amount in Written Words:	
Signature, Printed Name, Contractor	Date

I will begin the work within upon receipt of the written Design Contract and Notice to Proceed Order, and will complete the work within 45 days, unless otherwise agreed to by Hamilton County Public Health.

The above total price includes all materials, labor and other costs such as overhead, permits, sales tax and profit. This bid is valid for a period of 30 days after the date this proposal is received by Hamilton County Public Health.

Mail Bid Packet to: Hamilton County Public Health

Attn: Chris Griffith 250 William Howard Taft Cincinnati, OH 45219

Contractor Equal Employment Opportunity Certification

During the performance of this contract, the undersigned agrees as follows:

- 1. The undersigned will not discriminate against any employee or applicant for employment because of race, color, religion, sex, or national origin. The undersigned will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion or national origin. Such action shall include, but not be limited to the following: Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising: layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The undersigned agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this equal opportunity (federally assisted construction) clause.
- 2. The undersigned will, in all solicitations or advertisements for employees placed by or on behalf of the undersigned, state the all qualified applicants will receive consideration for employment without regard to race, color, religion, sex or national origin.
- 3. The undersigned will send to each labor union or representative of workers, with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representative of the undersigned's commitment under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- 4. The undersigned will comply with all provisions of Executive Order No. 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- 5. The undersigned will furnish all information and reports required by Executive Order No. 11246 of September 24, 1965, and by the rules, regulations, and relevant orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records and accounts by the administering agency of the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- 6. In the event of the undersigned's non compliance with the equal opportunity (federally assisted construction) clause of this contract of with any of the said rules, regulations, or orders, this contract may be canceled, terminated or suspended in whole or in part, and the undersigned may be declared ineligible for further Government contracts of federally assisted construction contracts in accordance with procedures authorized in Executive Order No. 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order No 11246 of September 24, 1965, or by rules, regulations, or order of the Secretary of Labor, or as provided by law.
- 7. The undersigned will include this equal opportunity (federally assisted construction) clause in every subcontract or purchase order unless exempted by the rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order No 11246 of September 24, 1965, so that such provision will be binding upon each subcontract or vender. The undersigned will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for non-compliance: Provided, however, that in the event a contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor, as a result of such direction by the administering agency the undersigned may request the United States to enter into such litigation to protect the interest of the United States.

(Signature)	(Date)
(Name and Title of Signer, Please type)	(Firm Name)

The prospective participant certifies to the best of its knowledge and belief that it and its principals:

- (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- (b) Have not within a three year period preceding this proposal been convicted of or had a civil judgement rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal of State antitrust statues or commission if embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property:
- (c) Are not presently indicted for or otherwise criminally or civilly charged by a government entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (b) of this certification;
- (d) Have not within a three year period preceding this application / proposal had one or more public transactions (Federal, State, or local) terminated for cause or default; and
- (e) Will not utilize a subcontractor or supplier who is unable to certify (a) through (d) above.

I understand that a false statement on this certification may be grounds for rejection of this proposal or termination of the award. In addition, under 18 USC Sec. 1001, a false statement may result in a fine of up to \$10,000 or imprisonment for up to 5 years, or both.

Type Name & Title of Authorized Representative	
Signature of Authorized Representative	
Date	

I am unable to certify to the above statements. My explanation is attached.

Certification Regarding Debarment, Suspension, and Other Responsibility Matters INSTRUCTIONS

Under Executive Order 12549 an individual or organization debarred or excluded from participation in Federal assistance or benefit programs may not receive any assistance award under a Federal program or a subagreement thereunder for \$25,000 or more.

Accordingly, each prospective recipient of an EPA grant, loan, or cooperative agreement and any contract or subagreement participant thereunder must complete the attached certification provide an explanation why they cannot. For further details, see 40 CFR 32.510, Participants' responsibilities, in the attached regulation.

Go to https://www.sam.gov/portal/SAM/##11 to access the Excluded Parties List System (EPLS). The EPLS includes information regarding entities debarred, suspended, proposed for debarment, excluded or disqualified under the nonprocurement common rule, or otherwise declared ineligible from receiving Federal contracts, certain subcontracts, and certain Federal assistance and benefits. This information may include names, addresses, DUNS numbers, Social Security Numbers, Employer Identification Numbers or other Taxpayer Identification Numbers, if available and deemed appropriate and permissible to publish by the agency taking the action.

Where To Submit

The prospective EPA grant, loan, or cooperative agreement recipient must return the signed certification or explanation with its application to the appropriate EPA Headquarters, Regional office, or Ohio EPA, as required in the applications.

A prospective prime contractor must submit a complete certification or explanation to the individual or organization awarding the contract.

Each prospective subcontractor must submit a complete certification or explanation to the prime contractor for the project.

Applicants may reproduce these materials as needed and provide them to their prospective prime contractor, who, in turn, may reproduce and provide them to prospective subcontractors.

Additional copies / assistance may be requested from: Ohio EPA Division of Environmental and Financial Assistance P.O. Box 1049 Columbus, Ohio 43216 1049 (614) 644 2798

http://epa.ohio.gov/defa/EnvironmentalandFinancialAssistance.aspx

American Iron and Steel Acknowledgement

The Contractor acknowledges to and for the benefit of
("Purchaser") and the State of Ohio (the "State") that it understands the goods and services under this Agreement are being funded with monies made available by the Clean Water State Revolving Fund and/or Drinking Water State Revolving Fund that have statutory requirements commonly known as "American Iron and Steel:" that requires all of the iron and steel products used in the project to be produced in the United States ("American Iron and Steel Requirement") including iron and steel products provided by the Contactor pursuant to this Agreement. The Contractor hereby represents and warrants to and for the benefit of the Purchaser and the State that (a) the Contractor has reviewed and understands the American Iron and Steel Requirement, (b) all of the iron and steel products used in the project will be and/or have been produced in the United States in a manner that complies with the American Iron and Steel Requirement, unless a waiver of the requirement is approved, and (c) the Contractor will provide any further verified information, certification or assurance of compliance with this paragraph, or information necessary to support a waiver of the American Iron and Steel Requirement, as may be requested by the Purchaser or the State. Notwithstanding any other provision of this Agreement, any failure to comply with this paragraph by the Contractor shall permit the Purchaser or State to recover as damages against the Contractor any loss, expense, or cost (including without limitation attorney's fees) incurred by the Purchaser or State resulting from any such failure (including without limitation any impairment or loss of funding, whether in whole or in part, from the State or any damages owed to the State by the Purchaser for the funding of its project, the Purchaser and the Contractor agree that the State is a third-party beneficiary and neither this paragraph (nor any other provision of this Agreement necessary to give this paragraph force or effect) shall be amended or waived without the prior written consent of
Signature Date
Name and Title of Authorized Signatory, Please Print or Type
Bidder's Firm
Check here if the WPCLF or WSRLA applicant will be requesting an individual waiver for non-American made iron and steel products. Please note that the waiver box does not need to be marked for nationwide waivers.

CONSTRUCTION CONTRACT
HAMILTON COUNTY PUBLIC HEALTH

Dated xxxx, xx 2018

PROJECT: HOUSEHOLD SEWAGE TREATMENT SYSTEM REPAIR/REPLACEMENT PROJECT

This CONTRACT, made and entered into at HAMILTON COUNTY, Ohio, on xxxx xx, 2018 by the HAMILTON

COUNTY PUBLIC HEALTH, hereinafter referred to as "HCPH"); and xxxxxxxxxxxxx (hereinafter referred to as

"CONTRACTOR").

WITNESSETH, the HCPH and the CONTRACTOR hereby agree as follows:

1. <u>CONTRACT DOCUMENTS</u>

The Contract consists of this document, the Contractor's Bond, the Contractor's Bid, the Design Drawings,

the Design Specifications, all Addenda issued prior to execution of this Contract, the Notice To Proceed

(Attachment A), all Change Orders (Attachment B) issued subsequent thereto and Federal, State, and/or Local

Regulations; and when specified: Labor and Material Bond, Affirmative Action and Equal Opportunity

Requirements, Contractor Equal Employment Opportunity Certification Form (Attachment C), Certification

Regarding Debarment, Suspension and Other Responsibility Matters Form (Attachment D), and American Iron

and Steel Acknowledgement Form (Attachment E).

2. <u>CONTRACT REGULATIONS</u>

Terms and conditions of this Contract shall be governed by the provisions of Chapters 153 and 4115 and

Section 149.53 of the Ohio Revised Code, and all applicable local, State and Federal Ordinances, Statues and

Regulations.

The CONTRACTOR agrees not to discriminate against any employee or applicant for employment because

of race, creed, sex, handicap, or color, including, but not limited to the following: employment, upgrading,

demotion or transfer, recruitment or recruitment advertising, layoff or termination, rates of pay or other forms of

compensation and selection for training, including apprenticeship. All records, manuals, forms, drawings,

schedules, lists, surveys, specifications, designs, and other data pertaining to the work specified in this contract

are and shall remain the sole property of the HCPH. The use of any Subcontractor must be reported to the HCPH

and they shall be bound by the same requirements as the CONTRACTOR.

3. BONDING

A bond or other form of financial guarantee shall be submitted by the CONTRACTOR in accordance with Sections 153.54/307.89 of the Ohio Revised Code and Section 3.4 of the Water Pollution Control Loan Agreement for the full amount of the Contractor's Bid.

4. THE WORK

The CONTRACTOR shall perform and complete all work of the Project required by the Contract Documents for xxxx xxxxxxxxx Road, supplying all the labor, materials, supervision, tools and equipment required by the Installation Permit, Design, Project and Contract Documents; shall proceed in a prompt and diligent manner, and shall do the several parts thereof at such times and in such order as the HCPH may direct, and shall execute, construct, finish, and test when required, the Project in an expeditious, substantial and workmanlike manner to the satisfaction of HCPH, and to the final acceptance of the Project by HCPH

5. <u>TIME OF COMMENCEMENT AND COMPLETION</u>

The CONTRACTOR shall commence work upon receipt of the written Notice To Proceed (Attachment A) issued by HCPH. The CONTRACTOR shall complete the Project work by xxxxxx xxxx, 201x and following the Notice To Proceed.

6. RIGHTS OF ACCESS

The signatories agree to ensure that the Director or its duly authorized agents shall have the right at all reasonable times to enter upon the Project Site(s) and Project Facilities, and to examine and inspect the same and to exercise the Director's rights pursuant to the WPCLF Assistance Agreement.

7. CONTRACT CONFLICTS

In the event of a conflict between the contract and the WPCLF Assistance Agreement, the provisions of the WPCLF Agreement shall prevail.

8. CONTRACT SUM

Hamilton County Public Health, utilizing OHIO EPA funding, shall pay the CONTRACTOR for the performance of the Work, up to the sum of \$xx,xxx.xx (xx% of eligible costs paid by HCPH with xx% covered by the property owner) subject to additions and deductions by Change Orders (Attachment B) properly approved and executed. All properly approved and executed Change Orders for increases will be paid by HCPH, utilizing

OHIO EPA funding, and/or homeowner contribution. Neither HCPH nor OHIO EPA will responsible for additional reinspection fees.

9. <u>PAYMENTS</u>

Based upon Applications for Payment submitted to the HCPH by the CONTRACTOR, and after installation approval by HCPH, the contractor shall submit an invoice that documents costs all incurred to HCPH. The invoice shall detail the services rendered, including charge rates, number of hours, materials or supplies consumed, and other information needed to support the invoice to HCPH. Upon verification of this information, HCPH will send a request to Ohio EPA for reimbursement of the eligible costs. After confirmation by Ohio EPA, the Ohio Water Development Authority will distribute the funding to HCPH, who will then pay the Contract Sum to the CONTRACTOR as provided in Chapter 153 of the Ohio Revised Code and after payment is received from the Ohio EPA.

10. <u>NEGLECT, DEFAULT, DELAY, ETC.</u>

Hamilton County Public Health or Hamilton County Board of Health shall not be liable to the CONTRACTOR for any neglect, default, delay, or interference of or by another contractor, nor shall any such neglect, default, delay, or interference of or by another contractor, or alteration which may be required in said Work within the time aforesaid, or from the damage to be paid in default thereof. The CONTRACTOR shall pay HCPH \$200.00 for each and every calendar day of completion the Project is delayed beyond the date fixed for completion in Section 3 herein.

11. <u>INSURANCE</u>

The Insurance Specifications for Contractors and their subcontractors are as follows:

- A. All insurance required herein shall be issued by companies licensed to do business in Ohio, and which are rated not less than A: VII by A. M. Best.
- B. Commercial General Liability insurance with commercial general liability form GC 00 01 or its equivalent, with limits of at least \$1,000,000 per occurrence and \$1,000,000 in the aggregate covering death, bodily injury, and property damage. Coverage must include premise and operations, contractual liability, third party property damage, severability of interest, completed operations coverage, maintained for at least three years beyond the date of the contractor's

- completion of the work, waiver of subrogation, and waiver of "cross claim exclusion between insured's".
- C. Business auto liability insurance of at least \$1,000,000 combined single limit, on all owned and non-owned leased and hired automobiles.
- D. Umbrella and excess liability policies of at least \$1,000,000, per occurrence and in the aggregate, above the underlying General Liability and business auto policies. Coverage must include drop down features, concurrency of effective dates: aggregates in the primary apply in the Umbrella, waiver of subrogation.
- E. The Commercial General Liability and business auto policies must endorse the Board of Health of Hamilton County, Ohio, their employees, officials, agents and volunteers as additional insureds. Further these policies must waive subrogation claims against the aforesaid individuals.
- F. Owner shall require its contractors and subcontractors to provide Workers' Compensation Insurance coverage at the statutory limits required by the Ohio Revised Code. The Contractor shall provide Workers Compensation Insurance for all employees engaged in Work who may come within the protection of the workers compensation law, and, where applicable, employer's General Liability Insurances for employees not so protected and shall require all Subcontractors to provide corresponding insurance. The Contractor shall indemnify the Owner, Hamilton County Board of Health, their employees, officials, agents and volunteers and the Consulting Engineer against any and all liabilities, cost and expenses due to accidents or other occurrences covered by the workers compensation law.
- G. Each policy required herein may not be canceled or materially changed except upon thirty days prior written notice given to: Hamilton County Public Health, 250 William Howard Taft, Cincinnati, Ohio 45219.
- H. Maintenance of the insurance required hereunder is a material element of this Agreement.

 Material changes of the required coverage or cancellation of the coverage in violation of subsection G, above, is a material breach of this Agreement.
- 1. Builders Risk: In addition to such fire and other physical damage insurances as the Contractors

elects to carry for his own protection, he shall also secure and maintain in the name of the Owner, the government agency sponsoring the Project, Subcontractors, the Consulting Engineer and any other parties having an interest in the Project, as named insured as their interest may appear; a builders' risk policy for fire, extended coverage, vandalism and malicious mischief in the amount of one hundred (100) percent of the value of the complete parts of the Project and Materials in storage, except that such coverage shall not be required in connection with sewer, water main or paving construction. Pump or lift station construction shall not be considered sewer or water main construction for purposes of this paragraph.

J. Contractor's Public Liability and Property Damage Liability Insurance:

Contractor's Public Liability Insurance providing a limit of not less than \$500,000 for all damages arising out of bodily injuries, including accidental death to one person, and a total limit of 1,000,000 for all damages arising out of bodily injuries, including accidental death, to two or more persons in any one occurrence. Contractor's Property Damage Liability Insurance providing for a limit on not less than \$500,000 for all damages to or destruction of property.

Coverage under this policy shall include, to the limits indicated above, the collapse or damage to any structure, building or its contents, public or private utility, or pavement during construction and for two (2) years thereafter.

Whenever Work under the Contract is to be done in the vicinity of existing underground utilities or structures, coverage under the policy shall also include, to the limits indicated, all damages to said underground utilities or structures during construction and for a period of two (2) years thereafter. Whenever Work under the Contract is to be done by blasting, coverage under the policy shall also include, to the limits indicated above, all damages of any kind whatsoever caused by blasting.

K. Contractor's Protective Public Liability and Property Damage Liability

Insurance: Contractor's Protective Public Liability and Property Damage Liability Insurance for operations performed by Subcontractors providing for coverage and limits corresponding to those described in subparagraph J.

- L. Owner's (HCPH) Protective Public Liability and Property Damage Liability

 Insurance: Regular Owner's Protective Public Liability and Property Damage Liability Insurance for operations performed by the Contractor or any Sub-contractor providing for coverage and limits corresponding to those specified elsewhere herein.
- M. Railroad Protective Liability Insurance: In any of the Work under this Contract is on railroad R/W, the Contractor shall at its sole cost and expense, procure and provide, for and in behalf of each railroad company. Protective Liability Insurance (AARAASHO form) with minimum limits per occurrence of not less than \$2,000,000 for bodily injury, death and/or property damage, subject to an aggregate limit of \$6,000,000 per annum. The policy shall name each railroad company as the insured and be issued to the Contractor. Each railroad company shall be provided with a copy of each policy of insurance prior to commencement of any work.

Certificates of Insurance

The Contractor shall file a Certificate of Insurance for all coverage required in these Insurance Specifications on the ACORD 25 Form (preferred), and a copy of his current Worker's Compensation Certificate, with the Hamilton County Public Health before starting work on the project, and shall keep such Certificates current and on file with the County for the life of this Contract.

Indemnification Clause

The Contractor agrees to indemnify and save The Board of County Commissioners, Hamilton County Ohio, Hamilton County Board of Health, HCPH, their officials, officers, agents, and employees harmless from any and all losses, claims, actions, costs, expenses, judgments, subrogation's, or other damages resulting from injury to any person (including injury resulting in death), or damage (including loss or destruction) to property of whatsoever nature of any person, firm, or corporation arising out of the errors, omissions or negligent acts of the Contractor in the performance of the terms of this Contract by the Contractor, including but not limited to the Contractor's employees, agents, subcontractors, sub-subcontractors, and others designated by the Contractor to perform work or services in, about, or attendant to, the work and services under the terms of this contract.

Notice To Proceed

The Contractor shall not commence work under this contract until he has obtained all the insurance required herein, has submitted appropriate Certificates of Insurance to and received approval of the County as evidenced by a Notice to Proceed (Attachment A).

Subcontractors

The Insurance Specifications apply equally to all subcontractors and sub-subcontractors at any tier during the period of their work on the project. The Prime Contractor shall be solely responsible for his subcontractor's liability if he permits the Sub to work on the project without the Sub having been issued a Notice to Proceed by the County.

12. FAILURE TO COMPLY

If the CONTRACTOR shall fail to comply with any of the terms, conditions, provisions or stipulations of this Contract, HCPH may avail itself of any and all remedies provided in their behalf in the Contract, and shall have the right and power to proceed in accordance with the provisions thereof.

13. <u>RESOLUTION OF DISPUTES</u>

In the event of a dispute covering additional costs, claims and any other matter arising out of or relating to this Contract, or the breach thereof, such disputes shall be decided by submission to a court of competent jurisdiction within one (1) year of the date upon which HCPH accepts and approves the project for use. The CONTRACTOR hereby waives any right to rely upon the statute of limitations for actions on contracts.

Failure to bring an action within one year of the above date shall constitute a bar to such action. If, however, within ten (10) days of the specific event giving rise to the disputed matter, the CONTRACTOR gives HCPH, by written notice, a request to submit the matter to arbitration, HCPH and the CONTRACTOR may agree, within sixty (60) Days of receipt of the above notice, to submit the matter to arbitration as set forth below.

If the parties agree, by written change order signed by HCPH, the Ohio EPA, and the CONTRACTOR, to submit such dispute to arbitration, all proceedings shall be according to Ohio

Revised Code Chapter 2711, and, unless waived, the Ohio Rules of Civil Procedure and the Ohio Rules of Evidence. HCPH and the CONTRACTOR shall each choose one arbitrator. The two arbitrators shall agree upon and choose a third arbitrator, who shall preside over the proceedings.

Compensation of the arbitrators shall be as agreed upon by HCPH, the CONTRACTOR and the arbitrators. Payment for the arbitrators shall be shared equally by HCPH and the CONTRACTOR. The CONTRACTOR shall deposit, as a precondition to commencement of the hearing, its equal share of the compensation of the arbitrators with HCPH to be placed in an account for that purpose, or with an escrow agent suitable to both parties. The hearing or the arbitration shall commence within sixty (60) days of the agreement to arbitrate. If the hearing is not commenced within sixty (60) days of the agreement to arbitrate, said agreement shall be void and the dispute shall be resolved by submission to a court of competent jurisdiction as herein before specified. The award rendered by the arbitrators shall be final, and judgment may be entered upon it in any court having jurisdiction thereof. All questions with regard to the rights and authority of the arbitration panel shall be resolved pursuant to Chapter 2711, of the Ohio Revised Code.

14. <u>IN FORCE AND EFFECT</u>

Subject to the applicable provisions of law, this contract shall be in full force and effect from and after the date when a fully executed and approved counterpart hereof is forwarded to the CONTRACTOR, but the CONTRACTOR shall not start work on the Project until written notification to proceed is received from HCPH.

15. Executive Order 11246 Sec. 202

Except in contracts exempted in accordance with Section 204 of this Order, all Government contracting agencies shall include in every Government contract hereafter entered into the following provisions:

During the performance of this contract, the contractor agrees as follows:

A. The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, or national origin. The contractor will take affirmative action to ensure that applicants are employed and that employees are treated during employment, without regard to their race, color, religion, sex, or national origin. Such action shall include, but not be limited to the following: employment, upgrading, demolition, or transfer, recruitment, or recruitment advertising, layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of the nondiscrimination clause.

- B. The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, or national origin.
- C. The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the agency contracting officer, advising the labor union or workers' representative of the contractor's commitments under Section 202 of Executive Order No. 11246 of September 24, 1965, and shall post copies of this notice in conspicuous places available to employees and applicants for employment.
- D. The contractor will comply with all provisions of Executive Order No. 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- E. The contractor will furnish all information and reports required by Executive Order No. 11246 of September 24, 1965, and by the rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the contracting agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- F. In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of such rules, regulations, or orders, this contract may be cancelled, terminated, or suspended in whole or in part and the contractor may be declared ineligible for further Government contracts in accordance with procedures authorized in Executive Order No. 11246 of September 24, 1965, or by rule regulation, or order of the Secretary of Labor, or as otherwise provided by law.
- G. The contractor will include the provisions of Paragraphs (A) through (G) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to Section 204 of Executive Order No. 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The contractor will take such action with respect to any subcontract or purchase order as the contracting agency may direct as

a means of enforcing such provisions, including sanctions for noncompliance; provided, however, that in the event the contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the contracting agency, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

16. <u>Violating Facilities Clause</u>

The Contractor agrees to comply with all applicable standards, orders or requirements under Section 306 of the Clean Air Act, 42 USC 1857 (h), Section 508 of the Clean Water Act, 33 USC 1368, Executive Order 11738, and EPA regulations, 40 CFR Part 32, which prohibits the use under non-exempt Federal contracts, grants, or loans of facilities included on the EPA List of Violating Facilities.

17. <u>Certification Regarding Debarment, Suspension, and Other Responsibility Matters</u>

The Contractor certifies to the best of its knowledge and belief that it and its principles:

- A. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or Agency;
- B. Have not within a year period preceding this proposal been convicted of or had a civil judgement rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or Local) transaction or contract under a public transaction; violation of Federal or State antitrust statues or commission if embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.
- C. Are not presently indicted for or otherwise criminally or civilly charged by a government entity (Federal, State, or Local) with commission of any of the offenses enumerated in paragraph (B) of this certification:
- D. Have not within a three year period preceding this application / proposal had one or more public transactions (Federal, State, or Local) terminated for cause or default' and
- **E.** Will not utilize a subcontractor or supplier who is unable to certify (A) through (D) above.

IN WITNESS WHEREOF, t	the County and the Contractor affix their signatures:	
WITNESS:	HAMILTON COUNTY PUBLIC HEALTH	
	Health Commissioner	
Date		
WITNESS:	CONTRACTOR:	
	By:	
	Title	
Contractor to complete	applicable paragraph below:	
	rganized under the Laws ofand qualified n the State of Ohio.	
Co-partners trad	ling and doing business under the firm name and style of	
List names of all	Partners	
Or Joint Venture Particip	pants	
An individual do	ing business under the firm name and style of	

ATTACHMENT A HAMILTON COUNTY PUBLIC HEALTH NOTICE TO PROCEED

Date	
Contractor Name	
Street Address	
City, State, Zip Code	
Notice To Proceed With:	
Enclosed is your copy of the completely executed contract in the amount of \$	to be paid from
thefund.	·
You are hereby authorized and notified to PROCEED with the repair or replacement of treatment system located at	
HCPH. This includes by reference the specifications upon which you bid.	anions of your contract with
Sincerely,	
Tim Ingram	
Health Commissioner, Hamilton County Public Health	
\mathcal{L}	

ATTACHMENT B

State of Ohio

WATER POLLUTION CONTROL LOAN FUND (WPCLF/SRF) HSTS

CONTRACT CHANGE ORDER

RECIPIENT		CHANGE ORDE	R NBR	
LOAN NUMBER		CON ⁻	TRACT	
OWDA PRO IECT No			DATE	
OWDA PROJECT No. Description of Change (include address):			DATE	
APPROVED BY: ACCEPTED BY:	(Health Department F	tor)	DATE: _ DATE: _	
Original Contract Amt				
Previous Changes (+ /)				
This Change (+ /)				
Adjusted Contract Amt				
Ohio EPA	Acceptance		Date	

ATTACHMENT B

CHANGE ORDER INSTRUCTIONS:

All Change Orders for this work, regardless of costs, must be submitted to Ohio EPA for review.

Changes Requiring Prior Approval

Any change which substantially modifies the Project Facilities as specified in the Ohio EPA approved Facilities Plan and Final Permit to Install or Final Plan Approval (when applicable) or alters the direct or indirect impact of the Project Facilities upon the environment must be incorporated into a Change Order. One copy of the Change Order prior to execution is to be submitted to Ohio EPA for review and prior approval of the acceptability of the change. "Prior to execution" means before the Change Order is signed by the Owner.

Ohio EPA will review the Change Order and inform the Owner of the technical, environmental and operational acceptability of the change, and give the Owner permission to proceed with the proposed work.

All Other Changes

Change Orders not requiring prior approval as described above must be submitted to Ohio EPA within one (1) month of the time at which they are approved by the Owner. Change Orders for WPCLF projects should be submitted to the Division of Environmental and Financial Assistance (DEFA).

Change Order Approval Process

After the Change Order is executed, one (1) copy of the Change Order, including the supporting documentation, is to be sent to Ohio EPA for final review. The HSTS Change Order form must have original signatures.

Health Departments should submit change orders electronically to the DEFA Engineer who reviewed and approved their project.

After the Change Order is accepted and eligible costs determined, Ohio EPA will return a signed copy of the HSTS Change Order form.

Payments for Change Order Work

The Owner is precluded from submitting to the OWDA payment requests for Eligible Project Costs associated with the Change Orders until the Ohio EPA's approval of the Change Orders has been obtained.

ATTACHMENT C Contractor Equal Employment Opportunity Certification

During the performance of this contract, the undersigned agrees as follows:

- 8. The undersigned will not discriminate against any employee or applicant for employment because of race, color, religion, sex, or national origin. The undersigned will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion or national origin. Such action shall include, but not be limited to the following: Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The undersigned agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this equal opportunity (federally assisted construction) clause.
- 9. The undersigned will, in all solicitations or advertisements for employees placed by or on behalf of the undersigned, state the all qualified applicants will receive consideration for employment without regard to race, color, religion, sex or national origin.
- 10. The undersigned will send to each labor union or representative of workers, with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representative of the undersigned's commitment under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- 11. The undersigned will comply with all provisions of Executive Order No. 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- The undersigned will furnish all information and reports required by Executive Order No. 11246 of September 24, 1965, and by the rules, regulations, and relevant orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records and accounts by the administering agency of the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- 13. In the event of the undersigned's non compliance with the equal opportunity (federally assisted construction) clause of this contract of with any of the said rules, regulations, or orders, this contract may be canceled, terminated or suspended in whole or in part, and the undersigned may be declared ineligible for further Government contracts of federally assisted construction contracts in accordance with procedures authorized in Executive Order No. 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order No. 11246 of September 24, 1965, or by rules, regulations, or order of the Secretary of Labor, or as provided by law.
- 14. The undersigned will include this equal opportunity (federally assisted construction) clause in every subcontract or purchase order unless exempted by the rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order No 11246 of September 24, 1965, so that such provision will be binding upon each subcontract or vender. The undersigned will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for non compliance: Provided, however, that in the event a contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor, as a result of such direction by the administering agency the undersigned may request the United States to enter into such litigation to protect the interest of the United States.

(Signature)	(Date)
(Name and Title of Signer, Please type)	
(Firm Name)	

ATTACHMENT D

Certification Regarding Debarment, Suspension, and Other Responsibility Matters

The prospective participant certifies to the best of its knowledge and belief that it and its principals:

- (f) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- (g) Have not within a three year period preceding this proposal been convicted of or had a civil judgement rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal of State antitrust statues or commission if embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (h) Are not presently indicted for or otherwise criminally or civilly charged by a government entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (b) of this certification;
- (i) Have not within a three year period preceding this application / proposal had one or more public transactions (Federal, State, or local) terminated for cause or default; and
- (j) Will not utilize a subcontractor or supplier who is unable to certify (a) through (d) above.

I understand that a false statement on this certification may be grounds for rejection of this proposal or termination of the award. In addition, under 18 USC Sec. 1001, a false statement may result in a fine of up to \$10,000 or imprisonment for up to 5 years, or both.

ype Name & Title of Authorized Representative
ignature of Authorized Representative
rate

I am unable to certify to the above statements. My explanation is attached.

ATTACHMENT D

Certification Regarding Debarment, Suspension, and Other Responsibility Matters INSTRUCTIONS

Under Executive Order 12549 an individual or organization debarred or excluded from participation in Federal assistance or benefit programs may not receive any assistance award under a Federal program or a subagreement thereunder for \$25,000 or more.

Accordingly, each prospective recipient of an EPA grant, loan, or cooperative agreement and any contract or subagreement participant thereunder must complete the attached certification provide an explanation why they cannot. For further details, see 40 CFR 32.510, Participants' responsibilities, in the attached regulation.

Go to https://www.sam.gov/portal/SAM/##11 to access the Excluded Parties List System (EPLS). The EPLS includes information regarding entities debarred, suspended, proposed for debarment, excluded or disqualified under the nonprocurement common rule, or otherwise declared ineligible from receiving Federal contracts, certain subcontracts, and certain Federal assistance and benefits. This information may include names, addresses, DUNS numbers, Social Security Numbers, Employer Identification Numbers or other Taxpayer Identification Numbers, if available and deemed appropriate and permissible to publish by the agency taking the action.

Where To Submit

The prospective EPA grant, loan, or cooperative agreement recipient must return the signed certification or explanation with its application to the appropriate EPA Headquarters, Regional office, or Ohio EPA, as required in the applications.

A prospective prime contractor must submit a complete certification or explanation to the individual or organization awarding the contract.

Each prospective subcontractor must submit a complete certification or explanation to the prime contractor for the project.

Applicants may reproduce these materials as needed and provide them to their prospective prime contractor, who, in turn, may reproduce and provide them to prospective subcontractors.

Additional copies / assistance may be requested from: Ohio EPA
Division of Environmental and Financial Assistance
P.P. Box 1049
Columbus, Ohio
43216 1049 (614)
644 2798
http://epa.ohio.gov/defa/EnvironmentalandFinancialAssistance.aspx

ATTACHMENT E

American Iron and Steel Acknowledgement

The Contractor acknowledges to and for the to ("Purchaser") and the State of Ohio (the "State services under this Agreement are being fund Water State Revolving Fund and/or Drinking statutory requirements commonly known as of the iron and steel products used in the products used in the products used in the products used in the Purcha the Contactor pursuant to this Agreement. The warrants to and for the benefit of the Purcha reviewed and understands the American Iron and steel products used in the project will be States in a manner that complies with the Answaiver of the requirement is approved, and (verified information, certification or assurance information necessary to support a waiver of as may be requested by the Purchaser or the of this Agreement, any failure to comply with permit the Purchaser or State to recover as dexpense, or cost (including without limitation or State resulting from any such failure (includions of funding, whether in whole or in part, for State by the Purchaser). While the Contractor State, as a lender to the Purchaser for the fur Contractor agree that the State is a third-part (nor any other provision of this Agreement effect) shall be amended or waived without the	te") that it understands the goods and ded with monies made available by the Clean Water State Revolving Fund that have "American Iron and Steel;" that requires all bject to be produced in the United States luding iron and steel products provided by the Contractor hereby represents and ser and the State that (a) the Contractor has and Steel Requirement, (b) all of the iron and/or have been produced in the United merican Iron and Steel Requirement, unless a (c) the Contractor will provide any further the of compliance with this paragraph, or fithe American Iron and Steel Requirement, State. Notwithstanding any other provision this paragraph by the Contractor shall lamages against the Contractor any loss, attorney's fees) incurred by the Purchaser ding without limitation any impairment or from the State or any damages owed to the r has no direct contractual privity with the anding of its project, the Purchaser and the ty beneficiary and neither this paragraph force or
Signature	Date
Name and Title of Authorized Signatory, Pleas	se Print or Type
Bidder's Firm	
Check here if the WPCLF or WSRLA applicant for non- American made iron and steel produdoes not need to be marked for nationwide was not need to be marked for need to be need to	ucts. Please note that the waiver box

250 William Howard Taft, 2nd Floor Cincinnati, Ohio 45219 Phone: (513) 946-7800 Fax: (513) 946-7890 Web: www.hamiltoncountyhealth.org

		70 -
Sub./Lot Review:	Fee Paid:	190,00
Complaint:	Receipt #:	1104
Other:	Received By:	1115

HAMILTON COUNTY GENERAL HE	EALTH DISTRICT
APPLICATION TO CONSTRUCT OR REPLACE A SE	EWAGE TREATMENT SYSTEM
APPLICANT TO FILL OUT SHADED SE REPLACEMENT (Plumbing Permit Required If All Wastewater Is Not Direct	CTIONS ONLY, cted To Septic System)
Address of Construction Site: 11599 Kettering Drive	Political Subdivision: Colerain
Owner(s) Name: Joseph D Hofstetter Tax Parcel #:5	510-0014-0005-00 Lot Size: 0.695 acre(s)
Phone Number: 513-765-9200 Mailing Address: 11599 Kettering Drive Sistem To Sei Single Fam	rve Water Supply
Mailing Address: 11599 Kettering Drive Single Fam Cincinnati, OH 45251	ily Public (Water Supplier)
Plumbing Under Basement Dejector Pit Hung Sewer Other:	☐ Well ☐ Cistem ☐ Hauled Water
Number of Bedrooms: 3 Number of People in Structure: 2	Monthly Water Usage: 80 2000
□Watersoftner □Garbage Disposal □Whirlpool Style Tub □High Capaci □Other Large Water Usage Fixtures:	ity Shower
pil Type / Characteristics: See alfached Soils	
S Daily Design Flow: <u>360</u> STS Average Design Flow: <u>216</u> Soil Abs	corption Rate: N A Linear Loading Rate: N /-A
wage Treatment System Type: Jet J-500 - PLI - PAO -	re-acration + U.V.
Building Sewer Sch 40 4 PVC	Comments:
Trash Trap — Gallons Compartment(s) — Library I real Compartment (s) — L	
Septic TankGallonsCompartment(s)	watertight
Dosing TankGallonsCompartment(s)	-
Dosing BasinDepthDiameter orx	Property abandon existing touch
ffluent Filter Pump	per design.
creen Vault Filter Siphon Gravity	-
ondary Treatment Unit:	Comments:
termittent Sand Filterft xft =ft ²	
ecirculating Gravel Filter ft x ft = ft ² ecirculating Sand Filter ft x ft = ft ²	- Tastall per manufacturers Specs + anti-buousney
ecirculating Gravel Filterft xft =ft ² ecirculating Sand Filterft xft =ft ² ecirculating Textile FilterManufacturerUnit	
eat Biotilter Manufacturer Unit	(s) 0
erobic Treatment Unit 10+ 1-500 PLT- Manufacturer 500 GPD	Follow wspection protoco I w
ilter Following Treatment Unit	- HERH INST-lless manual.
osing BasinDepthDiameter orxDiphon oil Absorption (See Below)	
Absorption Component:	
rave! Padft xft =ft ² Depth	Comments:
eaching Trenches fl x fl = fl' Depth Total in	Ft.
each Bedft xft =ft^2Depth t-Gradeft xft =ft^2	
odified Moundft xft =ft ² Sand Thickness	
her	l
Gravity Distribution	/
LPP Distribution	
nage Enhancement: Disinfection Device:	Comments:
radient Drain Depth DChlorinator	Continents.
erceptor DrainDepth	er /
version Swale her	
mp BOther Sample well	
narks: A pre-construction conference is required @ the site	ODH System Type: Pretreat SDC
Steller must have system law out prior to this meeting.	ILIBEIOW GIAGE I Drotroot SDC & Drie
I exitrical inspection regularer-	□At or Above Grade □Drip Only □NPDES Discharge □Spray/Surface App.
fer to Site Plan	CGHD Manual. Spray/Surface App. None of the Above
By my signature below I certify that I have read, I understand, and I agree to comply	with the conditions set forth on the reverse hereof.
ner's/Owner's Agent Signature: Fi Daniel Brannau	Date: 5/30/17
d Inspection By: Date 112 / 17 Approved By is Application Expires One Year From The Approved By Date. Replacement Systems I	Must Be installed Within 120 Days of Approval Date

RECEIVED MAY 31 2017

Ro-cesign they Cassiero

7/16/18



John R. Kasich, Governor Mary Taylor, Lt. Governor Craig W. Butler, Director

RECEIVED JUL 25 2017

July 17, 2017



JOSEPH D HOFSTETTER 11599 KETTERING DR CINCINNATI, OH 45251

RE:

Approval of coverage under Ohio EPA NPDES General Permit for Household Sewage Treatment

Systems (NPDES Permit No. OHK000003)

Dear Permittee:

The Ohio Environmental Protection Agency has received the Notice of Intent (NOI) for coverage under the general permit for:

Property Location:

11599 KETTERING DR

County:

HAMILTON

City(ies) and Township(s):

CINCINNATI COLERAIN

Facility Permit Number:

1GK00811*AG

This property is approved for coverage under the Ohio EPA general permit. Please use your Ohio EPA Facility permit number in all future correspondence. Enclosed is a copy of the homeowner factsheet outlining homeowner responsibilities under the general permit.

You may obtain a copy of the General NPDES Permit No. OHK000003, current Notice of Intent (NOI), Notice of Termination (NOT) and permit transfer forms at:

http://epa.ohio.gov/dsw/permits/GP_HouseholdSewageTreatmentPlants.aspx

Please read and review the permit carefully. The permit contains requirements and prohibitions with which you must comply. Coverage remains in effect until after a renewal general permit is issued. We will contact you on how and when to reapply for continuing coverage.

If you need to speak to someone directly, you should call a representative of your local general health district or Household Sewage Treatment System staff of the Ohio EPA Division of Surface Water at (614) 644-2001.

Sincerely,

Craig W. Butler, Director

HAMILTON

y w. Buth


Health Department

2' GIS Contours Shown

Ex. Septic Tank

Hofstetter Property 11599 Kettering Drive Cincinnati, OH 45251 0.695 Acres

Colerain Twp.



Soil Locations

172.05,

S10

Scraped Flattened Area, OS1

Building

SIO

086

OS2

3 BR House

85'


KETTERING DR

384.42

\$3 **6**

,6T.8E

358,14







Soil and Site Evaluation for Sewage Treatment and Dispersal

Fractured Glacial Till >3	Highly Weathered Soil > 3	Flow Restrictive Layer 2 to	Bedrock > 3	Highly Permeable Material (range) > 5			Perched Seasonal Water Table 2 to 5	ions or Table	ions r Table	ions r Table	ions r Table	ions r Table	2-+ ions r Table	2-+ 2-+ ions r Table	0-2 2-12 2-+ 2-Table	O-2 O-12 O-12 O-Table	nches) 0 - 2 0 - 12 dark 2 - + 2 - Table	0-2 0-12 dark 2-+ 2-Table	Depth nches) 0-2 0-12 dark 2-+ 1 ions I	Method:	Method: Method: Oepth nches) 0 - 2 0 - 2 dark 2 - + Table I	est Hole #: 2 to in congitude: Method: Method: O-2 0-2 dark 2-+ ions I Table	Lot #: 27 sst Hole #: 2 to is congitude: Method: Method: 0 - 2 0 - 2 0 - 2 dark 2 - + 2 - Table ions I	Phone #: 513-: Lot #: 27 Sst Hole #: 2 to i ongitude: Method: Depth nehes) 0 - 2 0 - 2 dark 2 - 12 dark 2 - Table	Phone #: Cinc: Phone #: 513 Lot #: 27 Sst Hole #: 2 to : Ongitude: Method: Depth nches) 0 - 2 0 - 2 0 - 2 0 - 2 12 dark 2 - + 12 dark 1 Table	Address: c/o S Cinc Cinc Phone #: 513-; Lot #: 27 Sst Hole #: 2 to Ongitude: Method: Method: 0 - 2 0 - 2 0 - 2 dark 2 - 12 dark 2 - 17 ions I	ant Name: Hofs Address: c/o S Address: c/o S Cinc Phone #: 513 Lot #: 27 Sst Hole #: 2 to i Congitude: Method: Method: 2 - 12	Address: c/o S Address: c/o S Address: c/o S Cinc Phone #: 513-: Lot #: 27 Sst Hole #: 2 to i Ongitude: Method: Depth nehes) 0 - 2 0 - 2 0 - 2 dark 2 - 12 dark 2 - 17 ions I	Cinc: Address: 2 to 1 Address: c/o S Address: 13-3 Lot #: 27 Lot #: 27 Sst Hole #: 2 to 1 Longitude: Method:	s/Location: 1159 div. Lot #: 2 to 1 ant Name: Hofs Address: c/o S Address: 127 St Hole #: 27 St Hole #: 2 to 1 Address: 27 St Hole #: 2 to 1 Address: 27 St Hole #: 2 to 1 Address: 12 dark 2-+ Table : 159	sship/Sec.: Cole ss/Location: 1159 ss/Location: 1159 div. Lot #: 2 tin 1 ant Name: Hofs Address: C/o S Address: Cinc Phone #: 513- Lot #: 27 sst Hole #: 2 to 1 Angitude: Method: Depth nches 0 - 2 0 - 2 0 - 2 dark 2 - + ions I ions I	County: Ham ship/Sec.: Coles s/Location: 1159 s/Location: 1159 s/Location: 1159 Cinci div. Lot #: 2 to 1 ant Name: Hofs Address: c/o S Cinci Phone #: 513-; Lot #: 27 sst Hole #: 2 to 1 ongitude: Method: Depth nches) 0-2 0-2 dark 2-12 dark 1 ions 1	County: Ham ship/Sec.: Coles Coles	County: Ham Iship/Sec.: Coles Iship/Sec.: Coles Is/Location: 1159 Iship/Sec.: Coles
30 in.	30 in.	to 5 in. Dense glacial till.	30 in. Fractured - Karst	> 50 in.	> 50 inches	2 to 5 inches		Depth to (in.) Descriptive notes					11%	wn 10 YR 3/1 10 YR 3/1 11%	10YR 3/1 1% 10YR 3/1 1%	Concentrations 10YR 3/1 1% 10YR 3/1 1%	Redoximorph: Concentrations 110YR 3/1 11% 11%	Redoximorph Concentrations 10YR 3/1 10YR 3/1 11%	Redoximorph Concentrations 10YR 3/1 11% 11%	ger _X_Proger _X	ger _X_Proger _X_Proge _X	ger _X_Progen _X	ger _X_Proger_X_Proge_X_Prog	Auger _X_Promating Soil Saturation Color (hue, value, chrown Redoximorph 10/8 3/1 brown 11% 11% 11% 11% 11% 11% 11% 11% 11% 11	Auger _X_Proceed and the provided and th	Reading Road Suite 20 1 45202 AugerXPromating Soil Saturations Color (hue, value, chrown Redoximorph Concentrations 10YR 3/1 brown 10YR 3/1 10YR 3/1 10YR 3/1 10YR 3/1 1%	O60 Reading Road Suite 20 1, OH 45202 586 Self Color (hue, value, chrosell Color (hue, value, chrown R 3/3 brown R 4/4 19/8 3/1 wish brown 10YR 3/1 wish brown 10YR 3/1 hrown 1% 10 (in.)	060 Reading Road Suite 20 1, OH 45202 586 Auger _X_President Soil Saturation Sell Color (hue, value, chrown R 3/3 brown R 4/4 10 YR 3/1 wish brown 1 1% 10 YR 3/1 1 1% brown 1 1% 10 YR 3/1 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1%	6060 Reading Road Suite 20 1, OH 45202 1, OH 45202 2586 Estimating Soil Saturation Sell Color (hue, value, chrown R 3/3 brown R 4/4 10YR 3/1 wish brown 1% 1% 10YR 3/1 brown 1% 1% 10YR 3/1 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1%	Road Suite 20 Road Suite 20 Soil Saturatio ue, value, chro Redoximorph Concentrations 10YR 3/1 1% 1% 1% 1%	Road Suite 20 Road Suite 20 Soil Saturatio ue, value, chro Redoximorph Concentrations 10YR 3/1 1% 10YR 3/1 1% 10YR 3/1 1%	Road Suite 20 Road Suite 20 Soil Saturatio ue, value, chro Redoximorph Concentrations 10YR 3/1 1% 10YR 3/1 1%	Road Suite 20 Road Suite 20 Soil Saturatio ue, value, chro Redoximorph Concentrations 10YR 3/1 1% 10YR 3/1 1%	Road Suite 20 Road Suite 20 Soil Saturatio Let value, chro Redoximorph Concentrations 10YR 3/1 1% 10% 11%
			(circle one)										clay	silty clay clay	silty clay loam clay	Class ty clay loam silty clay clay	Class silty clay loam silty clay clay	Class silty clay loam silty clay clay	Class silty clay loam silty clay clay	Class silty clay loam silty clay clay	Class silty clay loam silty clay clay	Class silty clay loam silty clay	Class silty clay loam silty clay	Class silty clay loam silty clay clay	Class silty clay loam silty clay	Class silty clay loam silty clay	Coord. Method// E Class Silty clay loam Silty clay	Coord. Method// Coord. Method// E Class Silty clay loam Silty clay Clay Clay	Coord. Method/ Coord. Method/ Coord. Method/ Class Silty clay loam Silty clay loam Clay Clay	Position on La Percei Shape o Coord. Method/ Coord. Method/ Class silty clay loam silty clay loam clay clay	Position on La Position on La Perces Shape of Coord. Method/ Coord. Method/ Class Silty clay loam Silty clay loam Silty clay	Land Use/Ve Perceive Perceive Shape of Coord. Method// Coord. Method// Class Silty clay loam	Land Use/Ve Land Use/Ve Land Use/Ve Land Use/Ve Land Use/Ve Position on La Perce Shape a Coord. Method// Class Silty clay loam Silty clay loam Silty clay loam Silty clay loam	Land Use/Ve La Position on La Position on La Percel Shape of Coord. Method/ Class Silty clay loam Silty clay loam Silty clay
				There is no acceptable so		S1 is in a scraped off area which is hign clay subsoil material at the surface		Remarks/Risk Factors:	Remarks/Risk Factor	Remarks/Risk Factor:	Remarks/Risk Factor:	Remarks/Risk Factor	65% 6%	50% 4% 6% 6% 6%	35% 2% 50% 4% 65% 6%	Approx. % % clay Fragments 35% 2% 50% 4% 65% 6%	exture Approx. Approx. % % clay Fragments 35% 2% 50% 4% 65% 6% 65% 6%	Estimatir exture Approx. Approx. % % clay Fragments 35% 2% 50% 4% 65% 65% 6% Remarks/Risk Factor	Estimatic Exture Approx. Approx. % % clay Fragments 35% 2% 50% 4% 65% 6% 66%	Estimatin Estimatin Approx. % Approx. Approx. Fragments 35% 2% 50% 4% 65% 6%	Estimatir Payrox. Approx. % Solay Fragments 35% 2% 65% 4% 65% 6% 6%	Estimating Soil	Evaluator: Dan Michael 620 North Bru Lebanon, OH Texture Approx. Approx. % 63% 2% 50% 4% 65% 6% 65% 6%	Date: 3/27/2017 valuator: Dan Michael 620 North Bre Lebanon, OH Estimatir Approx. Approx. % % clay Fragments 35% 2% 50% 4% 65% 6% 66%	Date: 3/27/2017 valuator: Dan Michael 620 North Bro Lebanon, OH Estimatir Approx. Approx. % Approx. Fragments 35% 2% 50% 4% 65% 6% 66%	Date: 3/27/2017 valuator: Dan Michael 620 North Br Lebanon, OH Estimatir Approx. Approx. % 61ay Fragments 35% 2% 65% 4% 65% 6%	Coord. Method/Accuracy: GPS - 3 ft. Date: 3/27/2017 Evaluator: Dan Michael 620 North Bry Lebanon, OH Texture Approx. Approx. % Class % clay Fragments tty clay loam 35% 2% silty clay 50% 4% clay 65% 6% Clay 65% 6% Remarks/Risk Factors S Remarks/Risk Factors	Shape of Slope: linear fethod/Accuracy: GPS - 3 ft. Date: 3/27/2017 Evaluator: Dan Michael 620 North Bre Lebanon, OH Texture Approx. Approx. % % clay Fragments y 50% 4% 65% 6% Remarks/Risk Factor.	Percent Slope: 18 to 25% Shape of Slope: linear Ethod/Accuracy: GPS - 3 ft. Date: 3/27/2017 Evaluator: Dan Michael Evaluator: Dan Michael 620 North Bratter Lebanon, OH Texture Approx. Approx. % Fragments 50% 4% 65% 6% 66% Remarks/Risk Factor.	Position on Landform: side slope Percent Slope: 18 to 25% Shape of Slope: linear Cord. Method/Accuracy: GPS - 3 ft. Date: 3/27/2017 Evaluator: Dan Michael 620 North Br Lebanon, OH Texture Approx. Approx. % Class Approx. Fragments y clay loam 35% 2% silty clay 50% 4% Clay 65% 6% Remarks/Risk Factor.	Landform: upland Landform: side slope cent Slope: 18 to 25% e of Slope: linear d/Accuracy: GPS - 3 ft. Date: 3/27/2017 Evaluator: Dan Michael 620 North Brough Lebanon, OH Texture Approx. Approx. % % clay Fragments 35% 2% 50% 4% 65% 6% 6%	Land Use/Vegetation: brush Landform: upland Landform: side slope Percent Slope: 18 to 25% Shape of Slope: linear oord. Method/Accuracy: GPS - 3 ft. Date: 3/27/2017 Evaluator: Dan Michael 620 North Br Lebanon, OH Texture Approx. % Class % clay Fragments // Class 50% 4% Clay loam 35% 2% Clay loam 35% 66% Remarks/Risk Factor.	getation: brush andform: upland andform: side slope at Slope: 18 to 25% of Slope: linear Accuracy: GPS - 3 ft. Date: 3/27/2017 Date: 3/27/2017 Date: Dan Michael 620 North Bractor. Lebanon, OH Extimation: Approx. % Approx. Approx. % Fragments 35% 2% 65% 6% 6% 6% Remarks/Risk Factor.	getation: brush andform: upland andform: side slope at Slope: 18 to 25% of Slope: linear Accuracy: GPS - 3 ft. Date: 3/27/2017 valuator: Dan Michael 620 North Bru Lebanon, OH Estimati Estimati Approx. Approx. % Fragments 35% 2% 65% 6% 6% 6% 6% Remarks/Risk Factor.
				oil on the lot that can be used as a dispersal area		a which is hign clay s	S.						1- weak	1- weak	2- moderate 1- weak 1- weak	Grade 2- moderate 1- weak 1- weak		leabi	ng Soil Permeabilii S Grade 2- moderate 1- weak 1- weak	ng Soil Permeabilit S Grade 2- moderate 1- weak 1- weak	45036 Region Permeabilit Grade 2- moderate 1- weak 1- weak	Permeabi lde lerate eak	Permeabi Ide Ide eak	Permeabi Ide lerate eak	Permeabi de lerate eak	Permeabi lde lerate eak	Permeabi lde lerate eak	Permeabi de lerate eak	Permeabi de lerate eak	Permeabile eak	Permeabi lde eak	Permeabi	Permeabi	Permeabil lerate eak
				be used as a disper		subsoil material at t							8	80 .00			ire ire	ucture Size co co	ucture Size co	ucture Size co	ucture Size co co	ucture co co	ucture Size co co	ucture Size co	ucture Size co	ucture co co	ucture co	ucture Size co	ucture Size co	ucture co	ucture co co	co co	ucture co	co
				rsal area.		the surface.							SBK			арс)					©	(e)	ignature: 'hone # : 5 'ype (shape) (gr SBK SBK	ampo	ification Stamp or dignature: hone #: 5 hone #: 5 SBK SBK	ification Stamp or dignature: hone #: 5 ype (shape) (gr SBK SBK	ification Stamp or dignature: 'hone #: 5 'ype (shape) (gr SBK SBK	ification Stamp or dignature: hone #: 5 hone #: 5 SBK SBK	ification Stamp or dignature: hone #: 5 hone #: 5 SBK SBK	ification Stamp or the inignature: hone #: 5 Phone #: 5 SBK SBK	ification Stamp or dignature: None #: 5 Wype (shape) gr SBK SBK	Signature: Signat	ification Stamp or dignature: hone #: 5 BBK SBK SBK	ification Stamp or inignature: hone #: 5 None #: 5 SBK SBK
													very firm			6					Consistence of friable very firm very firm	Consistence C friable very firm very firm												
								The second second					weakly calcareous	weakly calcareous weakly calcareous	weakly calcareous weakly calcareous	Other Soil Features weakly calcareous weakly calcareous	Other Soil Features weakly calcareous weakly calcareous	Other Soil Features weakly calcareous weakly calcareous	Other Soil Features weakly calcareous weakly calcareous	Other Soil Features weakly calcareous weakly calcareous	Other Soil Features weakly calcareous weakly calcareous	Other Soil Features weakly calcareous weakly calcareous	Other Soil Features weakly calcareous weakly calcareous	#30586 Other Soil Features weakly calcareous weakly calcareous	#30586 Other Soil Features weakly calcareous weakly calcareous	#30586 Weakly calcareous Weakly calcareous	#30586 #30586 Weakly calcareous weakly calcareous	#30586 #30586 Weakly calcareous weakly calcareous	#30586 #30586 Weakly calcareous weakly calcareous	#30586 #30586 weakly calcareous weakly calcareous	#30586 #30586 Weakly calcareous weakly calcareous	#30586 #30586 weakly calcareous weakly calcareous	#30586 #30586 weakly calcareous weakly calcareous	#30586 #30586 weakly calcareous weakly calcareous

Table 3. Soil Infiltration Loading Rates.

				T				Γ					,			Γ									FS	0			
	((((((((((((((((((((SC C SIC				SCL. CL. SICI			1	SIL			1	_				FSL VFSI				CSL, SL			FS, VFS, LFS, LVFS	cos, s, Lcos,Ls	exture	-	Soil Characteristics
	PR/RK/G	몬	:		PR/RK/GR	먼			PR/BK/GR	먼	1.		PR/BK/GR	밑	ŀ		PR/BK/GR	맡	ı			 - 	<u>0</u>	ı	:	:	Shape	Structure	teristics
2,3	_	1,2,3	0M	2,3		1,2,3	MO	2,3	Г	1,2,3	OM	2,3		1,2,3	MO		П	1,2,3	o <u>M</u>	2, 3	_	2,3	_	MO	0SG	0SG	Grade	D	
0.2	0	0	0	0.4	0.2	0	0	0.6	0.4	0	0	0.6	0.4	0	0.2	0.4	0.2	0	0.2	0.6	0.4	0	0.2	0.2	0.4	0.8	>25mg/L (septic tank effluent)		Soil Infiltration Load
0.3	0	0	0	0.6	0.3	0	0	0.8	0.6	0	0	0.8	0.6	0	0.5	0.8	0.6	0	0.5	1	0.7	0	0.5	0.6	1	1.6	<=25mg/L (pretreated effluent)	CBOD5	Soil Infiltration Loading RRate (gpd/ft2)
27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	œ	7	თ	თ	4	ω	2	_	Row		





Soil Characteristics	ristics		S	Slope 0-4%	Hydrau %	lic Linea	Hydraulic Linear Loading Rate Slope 5-9%	ng Rate %	(gpd/ft)	t) Slope)e >10%
	0			Infiltrative	ê		Infiltrative	Ф		Infiltr	ative
Texture	ollu	otructure	Dista	Distance, (Inches)	ches)	Dista	Distance, (Inches)	ches)	Distance	ınce,	, (inches)
	Shane		80	12-	24-	8	12-	24-	80	_	۲
	Ollaba	Glade	12	24	48	12	24	48	12	24	4
COS, S, LCOS,LS	:	0SG	4.0	5.0	6.0	5.0	6.0	7.0	6.0	7.	0
FS, VFS, LFS, LVFS	ŀ	0SG	3.5	4.5	5.55	4.0	5.0	6.0	5.0	6.0	0
	1	OM	3.0	ა. 5	4.0	<u>ပ</u> (၁.6	4.1	4.6	5.0		
	ם	_	3.0	3.5	4.0	3.6	4.1	4.6	4.0		
, C	-	2, 3									
	PR/BK/	_	3.5	4.5	5.5	4.0	5.0	6.0	5.0	6.0	
	GR	2, 3	3.5	4.5	5.5	4.0	5.0	6.0	5.0		
	1	MO	2.0	2.3	2.6	2.4	2.7	3.0	2.7	3.2	
FSI VESI	궏	1,2,3									
<u>.</u>	PR/BK	_	3.0	3.5	4.0	3.3	3.8	4.3	3.6	4.1	
	GR	2,3	<u>ပ</u> ပ	ა. 8	4.3	3.6	4.1	4.6	3.9	4.4	
	ı	MO	2.0	2.3	2.6	2.4	2.7	3.0	3.2	3.2	
_	몬	1,2,3						-			
ı	PR/BK	_	3.0	3.5	4.0	3.3	3.8	4.3	3.6	4.1	
	GR	2,3	3.3	3.8	4.3	3.6	4.1	4.6	3.9	4.4	
	ŀ	MO	2.0	2.5	3.0	2.2	2.7	3.2	2.4	2.9	
SIL	몬	1,2,3									
į	PR/BK	_	2.4	2.7	3.0	2.7	3.0	3.3	3.0	3.5	
	GR	2,3	2.7	3.0	ယ	3.0	3.5	4.0	3.3	3.8	
	1	MO									
SCL. CL. SICL	ᇋ	1,2,3									
() () () () () () () () () ()	PR/BK	_	2.0	2.5	3.0	2.2	2.7	3.2	2.4	2/9	
	GR.	2,3	2.4	2.9	3.2	2.7	3.0	3.3	3.0	ω	
	ı	MO									
SC, C, SIC	멀	1,2,3									
	PR/BK	_									
	GR	2,3	2.0	2.5	3.0	2.2	2.7	3.2	2.4	2.9	





SEWAGE TREATMENT SYSTEM (STS) DESIGN FOR:

Joseph D Hofstetter 11599 Kettering Drive Cincinnati, Ohio 45251 Par# 510-0014-0005-00 0.695 Acres

Designed By: SCS ENGINEERS 2060 Reading Road, #200 Cincinnati OH 45202 513-421-5353 Redesign Date: May 17, 2018 Site Visited on March 27, 2017

Design Details:

Existing building sewer to new Jet J-500-PLT-RAD 500 GPD aerobic treatment unit containing a pretreatment chamber, an aeration chamber, a settling chamber, re-aeration and Jet 952 UV disinfection device to discharge. Because the system is gravity fed and will not have a pump discharge, an active phone line will be required for telemetry within the control panel.

Design Rationale:

This design is for a 3 bedroom home with a Daily Design Peak Flow of 360 GPD. The peak flow should not be reached on a routine basis. Average flows of 216 GPD can be accommodated routinely with typical residential wastewater strength as specified in Ohio Administrative Code (OAC) 3701-29 for households.

The soil report indicates that soil near S1 was scraped off at the time of development (1960), leaving only structureless, high clay C horizon soil that comprises a limiting condition. For the remaining area, there is approximately 2" of good quality topsoil overlying 10" of weakly structured silty clay over weakly structured clay. Additionally the perched seasonal water table is at 2 to 5 inches. Poor soil quality and high seasonal water table are the primary limiting factors precluding use of soil absorption at this property.

Owner has obtained a NPDES discharge permit through OEPA.

System Installation, Operation And Maintenance (O&M)

All system devices and components must be operated and maintained in accordance with the Ohio Department of Health (ODH) product approval, Hamilton County Public Health Operation Permit Terms and Conditions. System devices and components must be installed per ODH product approval, Hamilton County Installation Manual and this design. Where conflicts exist, consult HCPH and designer for guidance before proceeding. Jet ODH Product O&M: http://ow.ly/YUxGX

Jet 952 UV and O&M: http://ow.ly/4mHXcl

Polylok 20" D-Boxes: http://ow.ly/LhrC308Rhwh

Hamilton County Installation Manual: http://ow.ly/YUIW30dOkV6
This installation will require an electrical inspection(s) and approval by IBI (513) 381-6080, http://www.inspectionbureau.com/

Means for O&M is provided by the driveway which is within standard distances and elevations for a service truck.

Changes and Use of This Design

This plan is the sole ownership of the designer and may not be altered, changed, used or manipulated without approval of SCS Engineers. SCS Engineers is available to make adjustments and address questions about the system design.

It is the responsibility of the contractor to verify that the system can be installed as designed, based on their preliminary lay-out of the job. It is the responsibility the installer and property owner to inform the designer of any field or other conditions that may affect the installation, operation or maintenance of the STS, including site disturbances that may affect the performance of a soil absorption component. If design changes are needed, redesign fees may apply.

System Protection

It is the owner and installation contractors responsibility to locate underground utilities. If utilities interfere with the designed system, construction shall not proceed without approval from HCPH and designer. No clearwater connections (downspouts, pool/spa water, footer tiles, cisterns, etc) shall be connected to this STS.

All system components must meet the horizontal isolation distances specified in OAC 3701-29-06(G)(3).

System Cost Information

The property owner has been informed of system options and briefed on cost factors. According to OAC 3701-29-10(B)(5), designers of STS systems must include approximate installation costs and operational costs of STS options to assist the homeowner in the selection of the STS options.

SCS Engineers estimates costs as follows:

\$15,000 - \$22,000 Installation cost*

\$1,200 annual operational cost*

*This is a general estimate of costs for this system. It is not a bid to install or service the STS. Contact a licensed installer and service provider or distributor for actual bids.

Disclaimer

This plan set is not a site plan to be used for constructing anything other than the Sewage Treatment System. If an accurate legal site plan is required, contact a professional surveyor. This plan offers no guarantee as to the accuracy of information provided. This plan offers no guarantees for site stability. If site stability may be an issue, a geotechnical engineer should be consulted. Plan is only as accurate as the information provided by the property owner to the designer. Easements, right-of-ways, hidden objects or information not communicated to the designer invalidates the design. It is the property owner's responsibility to review this plan and information provided to verify all site conditions and design assumptions are correct. If conflicts are found or additional information must be supplied, the owner shall contact the designer and installation shall not proceed until the approval is granted. This design shall in no way be taken as guarantee that the system will function in a satisfactory manner for any given period of time, or that SCS Engineers or any of its agents or employees assume any liability for damages, consequential or direct, which are caused, or which may be caused by a malfunction of the STS.



REV.	DATE	DESCRIPTION	CK. BY
		OUEET 4	

2 WORKING DAYS

BEFORE YOU DIG

CALL TOLL FREE 800-362-2764

OHIO UTILITIES PROTECTION SERVICE

SCS ENGINEERS

CONSULTING ENGINEERS, INC.
2060 READING ROAD SUITE 200 CINCINNATI, OHIO 45202
PH. (513) 421-5353

PROJ. NO.

CADD FILE: DATE: HOFSTETTER SEPTIC V1 MAY 20


: SCALE: 2018 N.T.S. SHEET 1

GENERAL NOTES AND DESIGN BASIS

11599 KETTERING DRIVE - HOFSTETTER RESIDENCE PARCEL NUMBER: 510-0014-0005-00 HAMILTON COUNTY OHIO - 0.695 ACRES

CAGIS Internet Server, 2015

O Soil Test Location



SCS ENGINEERS

CONSULTING ENGINEERS, INC. 2060 READING ROAD SUITE 200 CINCINNATI, OHIO 45202 PH. (513) 421-5353

SCALE:


AS SHOWN

PROJ. NO.	CADD FILE:	DATE:
	HOFSTETTER	
27217008.10	SEPTIC V1	MAY 201

SHEET 2

SOIL SAMPLING LOCATIONS

11599 KETTERING DRIVE - HOFSTETTER RESIDENCE PARCEL NUMBER: 510-0014-0005-00 HAMILTON COUNTY OHIO - 0.695 ACRES



- A Existing Building Sewer Existing Building Sewer pipe to be abandoned.
- B 4 inch Schedule 40 PVC Sewer pipe. Building sewer pipe shall be a minimum 1% grade and cleanouts placed immediately where the pipe leaves the foundation wall, at 75 feet and every 100 feet thereafter. No pipe elbows greater than 45° will be used in Building Sewer or other gravity sewer lines.
- C Jet J-500-PLT-RAD Treatment Unit with re-aeration and Jet 952 UV disinfection device (See Sheet 4 for detail).
- C1 Tank Cavity Drain (See Sheet 4 for detail).
- D 4 inch Schedule 40 PVC Sewer pipe, extending a short distance from Treatment Unit (C) to Sample Well (E), with minimum 1% grade.

- E Sample Well (See Sheet 4 for detail).
- F 4 inch Schedule 40 PVC gravity discharge piping extending from Sample Well (E) to outlet. Sloped minimum 1/8" per foot (i.e., nominally 1%) to outlet, with cleanouts to be installed at intervals of 100 feet; with animal guard at outlet, and must have 6" minimum freeboard at outlet.

 Mawtan minimum of 10' from heighborn's groperty line.
- G Jet Model 197 control panel with Jet Model 197D autodialer/telemetry control panel. Panel shall be preceded by an electrical disconnect switch. Control panel and disconnect to be installed by a licensed electrician. Permanent phone line will be required for telemetry panel.
- H Existing tank to be properly abandoned according to OAC 3701-29-21, and in conformance with HCPH permitting and reporting requirements.

30 15 0 30 SCALE: 1"=30' SCS ENGINEERS

CONSULTING ENGINEERS, INC. 2060 READING ROAD SUITE 200 CINCINNATI, OHIO 45202 PH. (513) 421-5353

PROJ. NO. CADD FILE: DATE:

27217008.10 HOFSTETTER SEPTIC V1 DATE: SCALE:

MAY 2017 AS SHOWN

SHEET 3

SEPTIC SYSTEM LAYOUT

11599 KETTERING DRIVE - HOFSTETTER RESIDENCE PARCEL NUMBER: 510-0014-0005-00 HAMILTON COUNTY OHIO - 0.695 ACRES

NOTE: ALL PIPE SHALL BE SCHEDULE 40 PVC MEETING ASTM 1785 UNLESS OTHERWISE SPECIFIED.

